

1 BILL NO. S-89-12- 09

2 SPECIAL ORDINANCE NO. S- 218-89

3 AN ORDINANCE approving the awarding of
4 Reference #1395 by the City of Fort
5 Wayne, Indiana, by and through its
6 Department of Purchasing and ELF
7 ASPHALT, INC. for the Street Department.


8 NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF
9 THE CITY OF FORT WAYNE, INDIANA;

10 SECTION 1. That Reference #1395 between the City of
11 Fort Wayne, by and through its Department of Purchasing and
12 ELF ASPHALT, INC. for the Street Department, respectfully
13 for:


14 the purchase of asphalt/bituminous
15 materials for 1990 for the Street
16 Department;

17 involving a total cost of Two Hundred Thousand and no/100
18 Dollars (\$200,000.00), all as more particularly set forth in
19 said Reference #1395 which is on file in the Office of the
20 Department of Purchasing, and is by reference incorporated
21 herein, made a part hereof, and is hereby in all things
22 ratified, confirmed and approved.

23 SECTION 2. That this Ordinance shall be in full force
24 and effect from and after its passage and any and all
25 necessary approval by the Mayor.

26 
27 Councilmember

28 APPROVED AS TO FORM
29 AND LEGALITY

30 
31 J. Timothy McCaulay, City Attorney
32

REF. NO.:	1395
DEPT.:	STREET DEPT
DATE:	12/5/89
ITEM/SERV.:	ASPHALT/BITUMINOUS MATERIAL

PURCHASING INFORMATION

ADVERTISED BID:	YES
DATES ADVERTISED:	10/27/89 & 11/3/89
OPENING DATE:	11/20/89
WRITTEN QUOTE:	
DUE DATE:	
VERBAL QUOTE:	
SINGLE SOURCE:	
NO. OF VENDORS NOTIFIED:	4
NO. OF VENDORS RECEIVING BID:	2
NO. OF VENDORS RETURNING BID:	1
NO. OF VENDORS DISQUALIFIED:	0
NO. OF VENDORS NOT RESPONDING:	3
DATE SENT TO DEPT FOR RECOMM.:	11/21/89
DATE RECOMMENDATION REC'D IN PURCH:	12/4/89
COUNCIL INFORMATION	DATES SENT EXTENSION DATES
DATE INFO SENT TO LAW DEPT.:	12/5/89
INTRODUCTION DATE:	12/12/89
DISCUSSION DATE:	12/19/89
PASSAGE DATE:	12/26/89
ORDINANCE NO.:	
AMOUNT APPROVED AND/OR SPENT LAST YEAR: (IF APPLICABLE)	

REFERENCE NO. 1395
EMULSION
STREET DEPARTMENT

ITEM	ELF
AE 300S	\$189.60
AC 20	\$137.27
AE-T	\$124.40
AE-90S	\$189.60
AE-150 EMULSION	\$129.60
DUSTAY	\$105.60
AC-13	\$196.27

FRONT PAGE/INVITATION TO BID
DEPARTMENT OF PURCHASING
CITY OF FORT WAYNE, ALLEN COUNTY, INDIANA
ONE MAIN STREET - ROOM 350
PHONE 219-427-1101

BID OPENING DATE 11-20-89 @ 11:00 AM BID REFERENCE # 1395

SEALED BIDS SHOULD BE DELIVERED TO DEPARTMENT OF PURCHASING, ROOM 350, CITY-COUNTY BUILDING UP TO 11:00 A.M. ON OR BEFORE OPENING DATE.

SEALED BIDS WILL BE OPENED PUBLICLY AT 11:01 A.M. IN THE BOARD OF WORKS & SAFETY CONFERENCE ROOM ON THE THIRD FLOOR OF THE CITY-COUNTY BUILDING. "NO LATE BIDS WILL BE ACCEPTED AFTER 11:00 A.M. FOR ANY REASON WHATSOEVER".

THIS INVITATION FOR BID IS FOR ASPHALT/BITUMINOUS MATERIALS:
AE-300, AC-20, AE-T (TACK), AE-90S, AE-150 EMULSION, DUSTAY,
AC-13, MS-ST

AND REQUESTED BY CITY OF FT WAYNE STREET DEPT

THIS BID REQUIRES A XXXXXX \$500.00 BID BOND, CERTIFIED OR CASHIER'S CHECK OF ALL BIDDERS.

THIS BID REQUIRES A _____ 100% PERFORMANCE BOND OF SUCCESSFUL BIDDER(S).

PROMPT PAYMENT DISCOUNTS WILL BE ALLOWED AS FOLLOWS: _____%
IF PAID WITHIN _____ DAYS.

THIS INVITATION IS ISSUED TO ESTABLISH A CONTRACT TO SUPPLY THE CITY OF FORT WAYNE WITH A COMMODITY OR SERVICE IN ACCORDANCE WITH ACCOMPANYING SPECIFICATIONS.

THE EXECUTION HEREOF BY THE BIDDER IS ACCEPTANCE OF ALL TERMS AND CONDITIONS HEREIN AND IN THAT REGARD THE BIDDER AGREES TO BE BOUND BY SAME AND BE BOUND TO THE AMOUNT OF HIS/HER BID FOR A PERIOD OF NINETY (90) DAYS.

FIRM NAME ELF ASPHALT-INC.
STREET ADDRESS Box 1295
CITY WARSAW - IND PHONE # 2675076
BY Philip E. Egan
REPRESENTATIVE SIGNATURE

CITY OF FORT WAYNE
ANNUAL EMULSION REQUIREMENTS

THE CITY OF FORT WAYNE, INDIANA, IS REQUESTING BIDS FOR THE PURCHASE OF ASPHALT/BITUMINOUS MATERIALS FOR THE STREET DEPT REQUIREMENTS NECESSARY FOR A NUMBER OF RESURFACING PROJECTS.

THE ANNUAL REQUIREMENTS FOR THESE MATERIALS ARE ESTIMATED AT 309021 GAL. ACTUAL QUANTITIES PURCHASED MAY BE MORE OR LESS.

ALL MATERIAL BID MUST MEET SPECIFICATIONS OUTLINED IN THE 1985 INDIANA DEPARTMENT OF HIGHWAY, STANDARD SPECIFICATIONS, 902.04, (a) REQUIREMENTS FOR ASPHALT EMULSIONS.

PRICES BID MUST BE EXACT AND HELD FIRM THROUGH THE TERM OF THE AGREEMENT. THERE SHALL BE NO ADDITIONAL CHARGES FOR DELIVERY, HANDLING OR ANY OTHER MISC FEES.

TERM OF AGREEMENT: FROM TIME OF AWARD THRU DECEMBER 31, 1990

STATE COST PER UNIT DELIVERED

DESCRIPTION	COST PER UNIT
AE 300 S	\$ 189.60
AC 20	\$ 137.27
AE-T (TACK)	\$ 124.40
AE-90S	\$ 189.60
AE-150 EMULSION	\$ 129.60
DUSTAY	\$ 105.60
AC-13	\$ 196.27
MS-ST	\$

BID, OFFER OR PROPOSAL FOR SALE OR LEASE OF MATERIALS

(Defined at I.C. 36-1-2-9.5)
(Please type or print)

Date: November 20, 1989

1. Governmental Unit: Board of Works & Safety

2. County: Allen County-City of Fort Wayne

3. Bidder (Firm): Elf Asphalt
Address: 2720 E. Durbin Rd.
City/State: Warsaw, IN 46580

4. Telephone Number: 219-267-5076

5. Agent of Bidder (if applicable): _____

Pursuant to notices given, the undersigned offers bid(s) to City of Ft. Wayne (Governmental Unit) in accordance with the following attachment(s) which specify the class or item number or description, quantity, unit, unit price and total amount.

The contract will be awarded by classes or items, in accordance with specifications. Any changes or alterations in the items specified will render such bid void as to that class or item. Bidder promises that he has not offered nor received a less price than the price stated in his bid for the materials included in said bid. Bidder further agrees that he will not withdraw his bid from the office in which it is filed. A certified check or bond shall be filed with each bid if required, and liability for breach shall be enforceable upon the contract, the bond or certified check or both as the case may be.

Phil Ehrman
Signature of Bidder or Agent
Phil Ehrman, Vice President

BID OFFER OR PROPOSAL

Attach separate sheet listing each item bid based on specifications published by governing body. Following is an example of the bid format:

Class or Item	Quantity	Unit	Description	Unit Price	Amount

NON-COLLUSION AFFIDAVIT

STATE OF INDIANA)
Kosciusk County) SS:

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.

He further says that no person or persons, firms, or corporation has, have or will receive directly or indirectly, any rebate, fee, gift, commission or thing of value on account of such sale.

Annette Fujawa-Notary Public
St. Louis County, Missouri
My Commission Expires April 3, 1990
County of Residence: St. Louis, MO

Elf Asphalt
Signature of Bidder or Agent
Phil Ehrman, Vice President
Annette Fujawa
Notary Public
ANNETTE FUJAWA
Notary Public Printed Name

ACCEPTANCE

There now being sufficient unobligated appropriated funds available, the contracting authority of _____ (Governmental Unit) hereby accepts the terms of the attached bid for classes or items numbered _____ and promises to pay the undersigned bidder upon delivery the price quoted for the materials stipulated in said bid.

Contracting Authority Number: _____

Date: _____

CITY OF FORT WAYNE
ANNUAL EMULSION REQUIREMENTS

THE CITY OF FORT WAYNE, INDIANA, IS REQUESTING BIDS FOR THE PURCHASE OF ASPHALT/BITUMINOUS MATERIALS FOR THE STREET DEPT REQUIREMENTS NECESSARY FOR A NUMBER OF RESURFACING PROJECTS.

THE ANNUAL REQUIREMENTS FOR THESE MATERIALS ARE ESTIMATED AT 309021 GAL. ACTUAL QUANTITIES PURCHASED MAY BE MORE OR LESS.

ALL MATERIAL BID MUST MEET SPECIFICATIONS OUTLINED IN THE 1985 INDIANA DEPARTMENT OF HIGHWAY, STANDARD SPECIFICATIONS, 902.04, (a) REQUIREMENTS FOR ASPHALT EMULSIONS.

PRICES BID MUST BE EXACT AND HELD FIRM THROUGH THE TERM OF THE AGREEMENT. THERE SHALL BE NO ADDITIONAL CHARGES FOR DELIVERY, HANDLING OR ANY OTHER MISC FEES.

TERM OF AGREEMENT: FROM TIME OF AWARD THRU DECEMBER 31, 1990

STATE COST PER UNIT DELIVERED

DESCRIPTION	COST PER UNIT
AE 300 S	\$ 189.60
AC 20	\$ 137.27
AE-T (TACK)	\$ 124.40
AE-90S	\$ 189.60
AE-150 EMULSION	\$ 129.60
DUSTAY	\$ 105.60
AC-13	\$ 196.27
MS-ST	\$

BID, OFFER OR PROPOSAL FOR SALE OR LEASE OF MATERIALS

(Defined at I.C. 36-1-2-9.5)
(Please type or print)

Date: November 20, 1989
1. Governmental Unit: Board of Works & Safety
2. County: Allen County-City of Fort Wayne
3. Bidder (Firm): Elf Asphalt
Address: 2720 E. Durbin Rd.
City/State: Warsaw, IN 46580
4. Telephone Number: 219-267-5076
5. Agent of Bidder (if applicable): _____

Pursuant to notices given, the undersigned offers bid(s) to City of Ft. Wayne (Governmental Unit) in accordance with the following attachment(s) which specify the class or item number or description, quantity, unit, unit price and total amount.

The contract will be awarded by classes or items, in accordance with specifications. Any changes or alterations in the items specified will render such bid void as to that class or item. Bidder promises that he has not offered nor received a less price than the price stated in his bid for the materials included in said bid. Bidder further agrees that he will not withdraw his bid from the office in which it is filed. A certified check or bond shall be filed with each bid if required, and liability for breach shall be enforceable upon the contract, the bond or certified check or both as the case may be.

Phil E. Ehrman
Signature of Bidder or Agent
Phil Ehrman, Vice President

BID OFFER OR PROPOSAL

Attach separate sheet listing each item bid based on specifications published by governing body. Following is an example of the bid format:

Class or Item	Quantity	Unit	Description	Unit Price	Amount

NON-COLLUSION AFFIDAVIT

"STATE OF INDIANA)
Kosciusko) SS:
COUNTY)

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.

He further says that no person or persons, firm, or corporation has, have or will receive directly or indirectly, any rebate, fee, gift, commission or thing of value on account of such sale.

Annette Fujiwara-Notary Public
St. Louis County, Missouri
My Commission Expires April 3, 1990
County of Residence: St. Louis, MO

Phil E. Ehrman
Signature of Bidder or Agent
Phil E. Ehrman, Vice President
Annette Fujiwara
Notary Public
ANNETTE FUJIWARA
Notary Public Printed Name

ACCEPTANCE

There now being sufficient unobligated appropriated funds available, the contracting authority of _____ (Governmental Unit) hereby accepts the terms of the attached bid for classes or items numbered _____ and promises to pay the undersigned bidder upon delivery the price quoted for the materials stipulated in said bid.

Contracting Authority Number: _____

Date: _____

CERTIFICATE
AUTHORITY NO.

1346433

FIRE AND MARINE INSURANCE COMPANY
Washington Street, St. Paul, Minnesota 55102

city of this Power of Attorney, you may telephone toll free 1-800-328-2189 and ask for
Please refer to the Certificate of Authority No. and the named individual(s).

POWER OF ATTORNEY - CERTIFIED COPY
on File at Home Office of Company. See Certification.)

at St. Paul Fire and Marine Insurance Company, a corporation organized and existing under the laws of the
the City of St. Paul, Minnesota, does hereby constitute and appoint:

ne Davis, Joseph M. Scepanski, Fred Eickhoff,
id, individually, Indianapolis, Indiana

ute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of
he nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or

LIMITED AS TO CHARACTER AND AMOUNT

t(s) in pursuance of these presents, shall be as binding upon said St. Paul Fire and Marine Insurance Company, as fully
as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.
and may be certified to and may be revoked, pursuant to and by authority of Article V, Section 6(C), of the By-Laws
ST. PAUL FIRE AND MARINE INSURANCE COMPANY at a meeting called and held on the 23rd day of January, 1970,
cript of said Section 6(C):

President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority
rneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto,
rtakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and
cial Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this
any of the By-Laws of the Company, and
any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given him."

is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly
f May, 1959, of which the following is a true excerpt:
natures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating
id any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the
h power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the
any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, St. Paul Fire and Marine Insurance Company has caused this instrument to be signed and its
corporate seal to be affixed by its authorized officer, this 1st day of March, A.D. 1984.

ST. PAUL FIRE AND MARINE INSURANCE COMPANY

[Signature]
Vice President

STATE OF MINNESOTA } ss.
County of Ramsey

day of May, 1989, before me came the individual who executed the preceding instrument, to me
d, being by me duly sworn, said that he/she is the therein described and authorized officer of St. Paul Fire and Marine Insurance
al affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his/her signature were duly affixed by
i Directors of said Company.

Mary C. Stemper

MARY C. STEMPER, Notary Public, Ramsey County, MN
My Commission Expires November 1, 1990

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of St. Paul, Minnesota, the day
and year first above written.

igned officer of St. Paul Fire and Marine Insurance Company, do hereby certify that I have compared the foregoing copy of the Power of Attorney
and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, with the ORIGINALS ON FILE IN THE
ICE OF SAID COMPANY, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of
is not been revoked and is now in full force and effect.

[Signature]
Secretary

IN TESTIMONY WHEREOF, I have hereunto set my hand this
20th day of November, 1989.

Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon
ment are invalid and not binding upon the Company.

AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT ANY VALIDITY.

asphalt

QUICK IDENTIFIER: ANIONIC SEALING GRADE EMULSION

MANUFACTURERS NAME: Elf Asphalt, Inc.

ADDRESS: 1000 Executive Parkway / P.O. Box 27327
St. Louis, MO 63141

EMERGENCY 24 Hr. TELEPHONE NUMBER: (314) 878-0793 or (314) 878-0969
Chemtrec (800) 424-9300

OTHER INFORMATION CALLS: (800) 325-9302

SECTION 1 - IDENTITY

TRADE NAME AND SYNONYMS: AE-60, AE-90, AE-T, EA-90, HFE-60, HFE-90, HFMS-1,
HFMS-2, HFMS-2h, HFRS, HFRS-2, HVRs, MS-2a, RS-1,
RS-1h, RS-1M, RS-2, RS-2a

CAS. NUMBER: NONE, MIXTURE

CHEMICAL NAME: ASPHALT EMULSION

CHEMICAL FAMILY: PETROLEUM HYDROCARBON

FORMULA: VARIABLE MIXTURE

SECTION 2 - HAZARDOUS INGREDIENTS

PRINCIPAL HAZARDOUS COMPONENTS
(CHEMICAL AND COMMON NAMES)

%

THRESHOLD LIMIT VALUE
(UNITS)

ASPHALT, PETROLEUM	008052-42-4	55-75	5.00 mg/m ³	N/A
FUEL OIL	068467-34-6	0-5	900.00 mg/m ³	8 hrs

SIGNS AND SYMPTOMS OF EXPOSURE: SKIN - CONTACT WITH HOT PRODUCT MAY CAUSE THERMAL BURNS. PROLONGED OR REPEATED CONTACT WITH COOL PRODUCT MAY CAUSE IRRITATION. ASPHALT EMULSIONS HAVE NOT BEEN INVESTIGATED FOR POSSIBLE CARCINOGENICITY.

INGESTION - EMULSIONS MAY CAUSE NAUSEA AND IRRITATION OF GASTROINTESTINAL TRACT.

INHALATION - EXCESSIVE EXPOSURE TO FUMES, VAPORS OR MISTS MAY CAUSE SOME RESPIRATORY DISCOMFORT OR IRRITATION OF THE MUCOUS MEMBRANES. ASPHALT, WHEN HEATED, RELEASES VARIOUS CONCENTRATIONS OF HYDROGEN SULFIDE (H_2S) GAS. H_2S IS AN EXTREMELY TOXIC AND FLAMMABLE GAS THAT AT LOW CONCENTRATIONS IS IRRITATING TO THE RESPIRATORY TRACT AND HAS A ROTTEN EGG ODOR. ODOR CAN NOT BE RELIED ON AS A MEANS OF DETECTION BECAUSE AT HIGHER CONCENTRATIONS, H_2S CAUSES OLFACTORY PARALYSIS. EVEN SHORT TIME EXPOSURE TO CONCENTRATIONS OF 500-1000 ppm MAY LEAD TO UNCONSCIOUSNESS, RESPIRATORY PARALYSIS AND DEATH.

EMERGENCY AND FIRST AID PROCEDURES: INHALATION - IF OVEREXPOSURE OCCURS, REMOVE INDIVIDUAL TO FRESH AIR. IF DISCOMFORT CONTINUES, SEEK MEDICAL ATTENTION.

EYES - FLUSH EYES IMMEDIATELY WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, OCCASIONALLY LIFTING THE UPPER AND LOWER EYE LIDS. GET MEDICAL ATTENTION IMMEDIATELY.

SKIN - HOT PRODUCT SHOULD BE COOLED WITH WATER. CLEAN SKIN WITH WATERLESS TYPE HAND CLEANER FOLLOWED BY SOAP AND WATER. IF IRRITATION OR BURN DEVELOPS, SEEK MEDICAL ATTENTION. COOL PRODUCT MAY BE CLEANED WITH WATERLESS TYPE HAND CLEANER.

INGESTION - IF MATERIAL IS SWALLOWED, DO NOT INDUCE VOMITTING. TREAT SYMPTOMATICALLY AND GET MEDICAL ATTENTION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: UNKNOWN

SECTION 7 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NORMALLY NOT NEEDED

VENTILATION LOCAL EXHAUST: AS NEEDED TO REMOVE MISTS OR VAPORS

PROTECTIVE GLOVES: IMPERVIOUS COATING

EYE PROTECTION: CHEMICAL GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: APPROPRIATE CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT WITH SKIN.

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID HEATED PRODUCT FUMES

OTHER PRECAUTIONS: OBSERVE GOOD PERSONAL HYGIENE. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE. DO NOT WEAR LEATHER SHOES OR BOOTS THAT HAVE BECOME SATURATED WITH PRODUCT.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CREATE DIKES OR PONDS AS SOON AS POSSIBLE. USE EARTH, SAW DUST, OR SAND TO MAKE DIKES OR TO USE AS ABSORBENT. UPON ABSORPTION, MATERIAL WILL REVERT TO ASPHALT STATE AND CAN BE REMOVED WITH ABSORPTION MATERIAL.

WASTE DISPOSAL METHODS: EMULSION CAN BE MIXED WITH ANY STABILIZING MATERIAL (i.e., ROCK, GRAVEL OR SAND) IN ORDER TO CHANGE ITS STATE FROM A LIQUID INTO A SOLID. THIS MATERIAL CAN THEN BE DISPOSED OF AT AN APPROVED LANDFILL.

EXPLANATION OF ABBEVIATIONS: N/D - NOT DETERMINED
N/A - NOT APPLICABLE
TLV - THRESHOLD LIMIT VALUE
TWA - TIME WIEGHTED AVERAGE

DISCLAIMER OF LIABILITY
FOR ELF ASPHLT, INC.

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

asphalt

QUICK IDENTIFIER: ANIONIC SEALING GRADE EMULSION (POLYMER MODIFIED)

MANUFACTURERS NAME: Elf Asphalt, Inc.

ADDRESS: 1000 Executive Parkway / P.O. Box 27327
St. Louis, MO 63141

EMERGENCY 24 Hr. TELEPHONE NUMBER: (314) 878-0793 or (314) 878-0969
Chemtrek (800) 424-9300

OTHER INFORMATION CALLS: (800) 325-9302

SECTION 1 - IDENTITY

TRADE NAME AND SYNONYMS: AE-90S, AE-150SC, EA-90S, HFE-60S, HFE-90S, HFE-90SC,
HFE-80SC, HFE-100S, HFE-150S, HFMS-2R, HFRS-2P, HFST

CAS. NUMBER: NONE, MIXTURE

CHEMICAL NAME: ASPHALT EMULSION

CHEMICAL FAMILY: PETROLEUM HYDROCARBON

FORMULA: VARIABLE MIXTURE

SECTION 2 - HAZARDOUS INGREDIENTS

PRINCIPAL HAZARDOUS COMPONENTS
(CHEMICAL AND COMMON NAMES)

%

THRESHOLD LIMIT VALUE
(UNITS)

ASPHALT, PETROLEUM	008052-42-4	65-75	5.00 mg/m ³	N/A
FUEL OIL	068467-34-6	0-20	900.00 mg/m ³	8 hrs
AROMATIC OIL	064742-04-7	0-5	0.20 mg/m ³	8 hrs

SECTION 5 - PHYSICAL HAZARDS

MATERIAL IS: STABLE

CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): NONE

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY RELEASE HARMFUL
OR TOXIC GASES

HAZARDOUS POLYMERIZATION WILL: NOT OCCUR

CONDITIONS TO AVOID: NONE

SECTION 6 - HEALTH HAZARDS

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:

ASPHALT EMULSIONS HAVE NOT BEEN INVESTIGATED AS POSSIBLE CARCINOGENS.

PETROLEUM ASPHALT WOULD BE AS FOLLOWS: NAT TOXICOLOGY PROGRAM NO
OSHA YES
I.A.R.C. MONOGRAPHS *UNDETERMINED

* EXPLANATION: IARC MONOGRAPHS - JAN 1985 - THE STUDY INDICATES THERE IS SUFFICIENT EVIDENCE FOR CARCINOGENICITY IN ANIMALS FROM EXPOSURE TO EXTRACTS OF STEAM-REFINED BITUMENS, AIR-REFINED BITUMENS AND MIXTURES OF STEAM-REFINED AND AIR-REFINED BITUMENS. DUE TO INADEQUATE EVIDENCE IN HUMANS, BUT SUFFICIENT EVIDENCE IN ANIMALS, BITUMEN IS CONSIDERED BY OSHA AS IF IT PRESENTS A CARCINOGENIC RISK TO HUMANS. THERE IS INADEQUATE EVIDENCE THAT BITUMENS ALONE ARE CARCINOGENIC TO HUMANS.

OSHA PERMISSIBLE EXPOSURE LIMIT: N/A FOR EMULSION
(ASPHALT FUMES: 5mg/m³ MAX CEILING)

ACGIH THRESHOLD LIMIT VALUE: N/A FOR EMULSION
(ASPHALT FUMES: 5mg/m³ TWA)

OTHER EXPOSURE LIMIT USED: NONE

ROUTES OF EXPOSURE: PRIMARY - SKIN CONTACT
SECONDARY - INGESTION OR INHALATION

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID HEATED PRODUCT FUMES

OTHER PRECAUTIONS: OBSERVE GOOD PERSONAL HYGIENE. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE. DO NOT WEAR LEATHER SHOES OR BOOTS THAT HAVE BECOME SATURATED WITH PRODUCT.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CREATE DIKES OR PONDS AS SOON AS POSSIBLE. USE EARTH, SAW DUST, OR SAND TO MAKE DIKES OR TO USE AS ABSORBENT. UPON ABSORPTION, MATERIAL WILL REVERT TO ASPHALT STATE AND CAN BE REMOVED WITH ABSORPTION MATERIAL.

WASTE DISPOSAL METHODS: EMULSION CAN BE MIXED WITH ANY STABILIZING MATERIAL (i.e., ROCK, GRAVEL OR SAND) IN ORDER TO CHANGE ITS STATE FROM A LIQUID INTO A SOLID. THIS MATERIAL CAN THEN BE DISPOSED OF AT AN APPROVED LANDFILL.

EXPLANATION OF ABBEVIATIONS: N/D - NOT DETERMINED
N/A - NOT APPLICABLE
TLV - THRESHOLD LIMIT VALUE
TWA - TIME WIEGHTED AVERAGE

**DISCLAIMER OF LIABILITY
FOR ELF ASPHLT, INC.**

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

elf asphalt

QUICK IDENTIFIER: ASPHALT CEMENT

MANUFACTURERS NAME: Elf Asphalt, Inc.

ADDRESS: 1000 Executive Parkway / P.O. Box 27327
St. Louis, MO 63141

EMERGENCY 24 Hr. TELEPHONE NUMBER: (314) 878-0793 or (314) 878-0969
Chemtrec (800) 424-9300

OTHER INFORMATION CALLS: (800) 325-9302

SECTION 1 - IDENTITY

TRADE NAME AND SYNONYMS: 0/10 PEN, 30/40 PEN, 60/70 PEN, 85/100 PEN,
120/150 PEN, 150/200 PEN, 200/250 PEN, 300+ PEN,
AC, AC-10, AC-20, ASPHALT, ASPHALT CEMENT,
PETROLEUM ASPHALT, STEEP ASPHALT

CAS. NUMBER: 008052-42-4

CHEMICAL NAME: PETROLEUM ASPHALT

CHEMICAL FAMILY: PETROLEUM HYDROCARBON

FORMULA: VARIABLE MIXTURE

SECTION 2 - HAZARDOUS INGREDIENTS

PRINCIPAL HAZARDOUS COMPONENTS (CHEMICAL AND COMMON NAMES)	%	THRESHOLD LIMIT VALUE (UNITS)
ASPHALT, PETROLEUM 008052-42-4	100	5.00 mg/m ³

SECTION 5 - PHYSICAL HAZARDS

MATERIAL IS: STABLE

CONDITIONS TO AVOID: SOURCES OF IGNITION

INCOMPATABILITY (MATERIALS TO AVOID): STRONG ACIDS, ALKALIES, OXIDIZERS AND WATER

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY RELEASE HARMFUL OR TOXIC GASES

HAZARDOUS POLYMERIZATION WILL: NOT OCCUR

CONDITIONS TO AVOID: N/A

SECTION 6 - HEALTH HAZARDS

LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:	NAT TOXIC PROGRAM	NO
	OSHA	YES
	IARC MONOGRAPHS	*UNDETERMINED

* EXPLANATION: IARC MONOGRAPHS - JAN 1985 - THE STUDY INDICATES THERE IS SUFFICIENT EVIDENCE FOR CARCINOGENICITY IN ANIMALS FROM EXPOSURE TO EXTRACTS OF STEAM-REFINED BITUMENS, AIR-REFINED BITUMENS AND MIXTURES OF STEAM-REFINED AND AIR-REFINED BITUMENS. DUE TO INADEQUATE EVIDENCE IN HUMANS, BUT SUFFICIENT EVIDENCE IN ANIMALS, BITUMEN IS CONSIDERED BY OSHA AS IF IT PRESENTS A CARCINOGENIC RISK TO HUMANS. THERE IS INADEQUATE EVIDENCE THAT BITUMENS ALONE ARE CARINOGENIC TO HUMANS.

OSHA PERMISSIBLE EXPOSURE LIMIT: ASPHALT FUMES: 5mg/m³ MAX CEILING

ACGIH THRESHOLD LIMIT VALUE: ASPHALT FUMES: 5mg/m³ TWA

OTHER EXPOSURE LIMIT USED: NONE

ROUTES OF EXPOSURE: PRIMARY - SKIN CONTACT
SECONDARY - INGESTION OR INHALATION

SECTION B - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID HEATED PRODUCT FUMES.
AVOID POSSIBLE IGNITION SOURCES.

OTHER PRECAUTIONS: OBSERVE GOOD PERSONAL HYGIENE. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. DO NOT WEAR LEATHER SHOES OR BOOTS THAT HAVE BECOME SATURATED WITH PRODUCT.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CREATE DIKES OR PONDS AS SOON AS POSSIBLE. USE EARTH, SAW DUST, OR SAND TO MAKE DIKES OR TO USE AS ABSORBENT. UPON ABSORPTION, MATERIAL CAN BE REMOVED WITH ABSORPTION MATERIAL.

WASTE DISPOSAL METHODS: MUST BE DISPOSED OF IN ACCORDANCE WITH APPROPRIATE STATE AND FEDERAL LAWS. THIS MATERIAL CAN BE DISPOSED OF IN AN APPROVED LANDFILL.

EXPLANATION OF ABBEVIATIONS: N/D - NOT DETERMINED
N/A - NOT APPLICABLE
TLV - THRESHOLD LIMIT VALUE
TWA - TIME WIEGHTED AVERAGE

DISCLAIMER OF LIABILITY FOR ELF ASPHLT, INC.

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

elf asphalt

QUICK IDENTIFIER: POLYMER MODIFIED ASPHALT CEMENT

MANUFACTURERS NAME: Elf Asphalt, Inc.

ADDRESS: 1000 Executive Parkway / P.O. Box 27327
St. Louis, MO 63141

EMERGENCY 24 Hr. TELEPHONE NUMBER: (314) 878-0793 or (314) 878-0969
Chemtec (800) 424-9300

OTHER INFORMATION CALLS: (800) 325-9302

SECTION 1 - IDENTITY

TRADE NAME AND SYNONYMS: AC-10R, AC-20R, PAC-10, PAC-20, PAC-30, PAC-40,
POLYMER MODIFIED ASPHALT CEMENT, STYRELF, STYRELF 13,
POLYMERIZED ASPHALT CEMENT

CAS. NUMBER: NONE, MIXTURE

CHEMICAL NAME: PETROLEUM ASPHALT

CHEMICAL FAMILY: PETROLEUM HYDROCARBON

FORMULA: VARIABLE MIXTURE

SECTION 2 - HAZARDOUS INGREDIENTS

PRINCIPAL HAZARDOUS COMPONENTS
(CHEMICAL AND COMMON NAMES)

%

THRESHOLD LIMIT VALUE
(UNITS)

ASPHALT, PETROLEUM 08052-42-4

90-99

5.00 mg/m³

SECTION 5 - PHYSICAL HAZARDS

MATERIAL IS: STABLE

CONDITIONS TO AVOID: SOURCES OF IGNITION

INCOMPATABILITY (MATERIALS TO AVOID): STRONG ACIDS, ALKALIES, OXIDIZERS OR WATER

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY RELEASE HARMFUL OR TOXIC GASES

HAZARDOUS POLYMERIZATION WILL: NOT OCCUR

CONDITIONS TO AVOID: N/A

SECTION 6 - HEALTH HAZARDS

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN: POLYMER MODIFIED ASPHALTS HAVE NOT BEEN INVESTIGATED AS POSSIBLE CARCINOGENS.

PETROLEUM ASPHALT WOULD BE AS FOLLOWS:

NAT TOXICOLOGY PROGRAM	NO
OSHA	YES
I.A.R.C. MONOGRAPHS	*UNDETERMINED

* EXPLANATION: IARC MONOGRAPHS - JAN 1985 - THE STUDY INDICATES THERE IS SUFFICIENT EVIDENCE FOR CARCINOGENICITY IN ANIMALS FROM EXPOSURE TO EXTRACTS OF STEAM-REFINED BITUMENS, AIR-REFINED BITUMENS AND MIXTURES OF STEAM-REFINED AND AIR-REFINED BITUMENS. DUE TO INADEQUATE EVIDENCE IN HUMANS, BUT SUFFICIENT EVIDENCE IN ANIMALS, BITUMEN IS CONSIDERED BY OSHA AS IF IT PRESENTS A CARCINOGENIC RISK TO HUMANS. THERE IS INADEQUATE EVIDENCE THAT BITUMENS ALONE ARE CARINOGENIC TO HUMANS.

OSHA PERMISSIBLE EXPOSURE LIMIT: NOT DETERMINED FOR POLYMER MODIFIED ASPHALT (ASPHALT FUMES ONLY: 5mg/m³ MAX CEILING)

ACGIH THRESHOLD LIMIT VALUE: NOT DETERMINED FOR POLYMER MODIFIED ASPHALT (ASPHALT FUMES ONLY: 5mg/m³ TWA)

OTHER EXPOSURE LIMIT USED: NONE

ROUTES OF EXPOSURE: PRIMARY - SKIN CONTACT
SECONDARY - INGESTION OR INHALATION

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID HEATED PRODUCT FUMES. AVOID POSSIBLE IGNITION SOURCES.

OTHER PRECAUTIONS: OBSERVE GOOD PERSONAL HYGIENE. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. DO NOT WEAR LEATHER SHOES OR BOOTS THAT HAVE BECOME SATURATED WITH PRODUCT.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CREATE DIKES OR PONDS AS SOON AS POSSIBLE. USE EARTH, SAW DUST, OR SAND TO MAKE DIKES OR TO USE AS ABSORBENT. UPON ABSORPTION, MATERIAL CAN BE REMOVED WITH ABSORPTION MATERIAL.

WASTE DISPOSAL METHODS: MUST BE DISPOSED OF IN ACCORDANCE WITH APPROPRIATE STATE AND FEDERAL LAWS. THIS MATERIAL CAN BE DISPOSED OF IN AN APPROVED LANDFILL.

EXPLANATION OF ABBEVIATIONS: N/D - NOT DETERMINED
N/A - NOT APPLICABLE
TLV - THRESHOLD LIMIT VALUE
TWA - TIME WIEGHTED AVERAGE

DISCLAIMER OF LIABILITY
FOR ELF ASPHLT, INC.

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

e.f asphalt

QUICK IDENTIFIER: MIXING GRADE EMULSION

MANUFACTURERS NAME: Elf Asphalt, Inc.

ADDRESS: 1000 Executive Parkway / P.O. Box 27327
St. Louis, MO 63141

EMERGENCY 24 Hr. TELEPHONE NUMBER: (314) 878-0793 or (314) 878-0969
Chemtrec (800) 424-9300

OTHER INFORMATION CALLS: (800) 325-9302

=====

SECTION 1 - IDENTITY

=====

TRADE NAME AND SYNONYMS: AE-150, AE-150L, AE-200, AE-300, AES-300, AE-PRIME,
EA-150, EAS-150, EA-300, EAS-300, HFE-150, HFE-300,
HFSM-2S, MS-1, MS-2h, MS-2s,

CAS. NUMBER: NONE, MIXTURE

CHEMICAL NAME: ASPHALT EMULSION

CHEMICAL FAMILY: PETROLEUM HYDROCARBON

FORMULA: VARIABLE MIXTURE

=====

SECTION 2 - HAZARDOUS INGREDIENTS

=====

PRINCIPAL HAZARDOUS COMPONENTS (CHEMICAL AND COMMON NAMES)		%	THRESHOLD LIMIT VALUE (UNITS)	
ASPHALT, PETROLEUM	008052-42-4	55-75	5.00 MG/M ³	N/A
FUEL OIL	068467-34-6	20-50	900.00 MG/M ³	8 HRS
SODIUM HYDROXIDE	001310-73-2	0.15-0.25	2.00 MG/M ³	8 HRS

SECTION 5 - PHYSICAL HAZARDS

MATERIAL IS: STABLE

CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): NONE

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY RELEASE HARMFUL
OR TOXIC GASES

HAZARDOUS POLYMERIZATION WILL: NOT OCCUR

CONDITIONS TO AVOID: NONE

SECTION 6 - HEALTH HAZARDS

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:

SPHALT EMULSIONS HAVE NOT BEEN INVESTIGATED AS POSSIBLE CARCINOGENS.

PETROLEUM ASPHALT WOULD BE AS FOLLOWS: NAT TOXICOLOGY PROGRAM NO
OSHA YES
I.A.R.C. MONOGRAPHS *UNDETERMINED

* EXPLANATION: IARC MONOGRAPHS - JAN 1985 - THE STUDY INDICATES THERE IS
SUFFICIENT EVIDENCE FOR CARCINOGENICITY IN ANIMALS FROM
EXPOSURE TO EXTRACTS OF STEAM-REFINED BITUMENS, AIR-REFINED
BITUMENS AND MIXTURES OF STEAM-REFINED AND AIR-REFINED
BITUMENS. DUE TO INADEQUATE EVIDENCE IN HUMANS, BUT SUFFICIENT
EVIDENCE IN ANIMALS, BITUMEN IS CONSIDERED BY OSHA
AS IF IT PRESENTS A CARCINOGENIC RISK TO HUMANS. THERE IS
INADEQUATE EVIDENCE THAT BITUMENS ALONE ARE CARINOGENIC
TO HUMANS.

OSHA PERMISSIBLE EXPOSURE LIMIT: N/A FOR EMULSION
(ASPHALT FUMES: 5mg/m³ MAX CEILING)

ACGIH THRESHOLD LIMIT VALUE: N/A FOR EMULSION
(ASPHALT FUMES: 5mg/m³ TWA)

OTHER EXPOSURE LIMIT USED: NONE

ROUTES OF EXPOSURE: PRIMARY - SKIN CONTACT
SECONDARY - INGESTION OR INHALATION

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID HEATED PRODUCT FUMES

OTHER PRECAUTIONS: OBSERVE GOOD PERSONAL HYGIENE. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE. DO NOT WEAR LEATHER SHOES OR BOOTS THAT HAVE BECOME SATURATED WITH PRODUCT.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CREATE DIKES OR PONDS AS SOON AS POSSIBLE. USE EARTH, SAW DUST, OR SAND TO MAKE DIKES OR TO USE AS ABSORBENT. UPON ABSORPTION, MATERIAL WILL REVERT TO ASPHALT STATE AND CAN BE REMOVED WITH ABSORPTION MATERIAL.

WASTE DISPOSAL METHODS: EMULSION CAN BE MIXED WITH ANY STABILIZING MATERIAL (i.e., ROCK, GRAVEL OR SAND) IN ORDER TO CHANGE ITS STATE FROM A LIQUID INTO A SOLID. THIS MATERIAL CAN THEN BE DISPOSED OF AT AN APPROVED LANDFILL.

EXPLANATION OF ABBEVIATIONS: N/D - NOT DETERMINED
N/A - NOT APPLICABLE
TLV - THRESHOLD LIMIT VALUE
TWA - TIME WIEGHTED AVERAGE

**DISCLAIMER OF LIABILITY
FOR ELF ASPHLT, INC.**

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

elf asphalt

QUICK IDENTIFIER: SOLVENTLESS PRIME

MANUFACTURERS NAME: Elf Asphalt, Inc.

ADDRESS: 1000 Executive Parkway / P.O. Box 27327
St. Louis, MO 63141EMERGENCY 24 Hr. TELEPHONE NUMBER: (314) 878-0793 or (314) 878-0969
Chemtrec (800) 424-9300

OTHER INFORMATION CALLS: (800) 325-9302

SECTION 1 - IDENTITY

TRADE NAME AND SYNONYMS: AE-PL, DUSTAY, PEP

U.S. NUMBER: NONE, MIXTURE

CHEMICAL NAME: ASPHALT EMULSION

CHEMICAL FAMILY: PETROLEUM HYDROCARBON

FORMULA: VARIABLE MIXTURE

SECTION 2 - HAZARDOUS INGREDIENTS

PRINCIPAL HAZARDOUS COMPONENTS
(CHEMICAL AND COMMON NAMES)% THRESHOLD LIMIT VALUE
(UNITS)

ASPHALT, PETROLEUM	008052-42-4	8-15	5.00 mg/m ³	N/A
ALIPHATIC HYDROCARBON	068553-00-4	15-30	100.00 mg/m ³	8 hrs

SIGNS AND SYMPTOMS OF EXPOSURE: SKIN - CONTACT WITH HOT PRODUCT MAY CAUSE THERMAL BURNS. PROLONGED OR REPEATED CONTACT WITH COOL PRODUCT MAY CAUSE IRRITATION. ASPHALT EMULSIONS HAVE NOT BEEN INVESTIGATED FOR POSSIBLE CARCINOGENICITY.

INGESTION - EMULSIONS MAY CAUSE NAUSEA AND IRRITATION OF GASTROINTESTINAL TRACT.

INHALATION - EXCESSIVE EXPOSURE TO FUMES, VAPORS OR MISTS MAY CAUSE SOME RESPIRATORY DISCOMFORT OR IRRITATION OF THE MUCOUS MEMBRANES. ASPHALT, WHEN HEATED, RELEASES VARIOUS CONCENTRATIONS OF HYDROGEN SULFIDE (H_2S) GAS. H_2S IS AN EXTREMELY TOXIC AND FLAMMABLE GAS THAT AT LOW CONCENTRATIONS IS IRRITATING TO THE RESPIRATORY TRACT AND HAS A ROTTEN EGG ODOR. ODOR CAN NOT BE RELIED ON AS A MEANS OF DETECTION BECAUSE AT HIGHER CONCENTRATIONS, H_2S CAUSES OLFACTORY PARALYSIS. EVEN SHORT TIME EXPOSURE TO CONCENTRATIONS OF 500-1000 ppm MAY LEAD TO UNCONSCIOUSNESS, RESPIRATORY PARALYSIS AND DEATH.

EMERGENCY AND FIRST AID PROCEDURES: INHALATION - IF OVEREXPOSURE OCCURS, REMOVE INDIVIDUAL TO FRESH AIR. IF DISCOMFORT CONTINUES, SEEK MEDICAL ATTENTION.

EYES - FLUSH EYES IMMEDIATELY WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, OCCASIONALLY LIFTING THE UPPER AND LOWER EYE LIDS. GET MEDICAL ATTENTION IMMEDIATELY.

SKIN - HOT PRODUCT SHOULD BE COOLED WITH WATER. CLEAN SKIN WITH WATERLESS TYPE HAND CLEANER FOLLOWED BY SOAP AND WATER. IF IRRITATION OR BURN DEVELOPS, SEEK MEDICAL ATTENTION. COOL PRODUCT MAY BE CLEANED WITH WATERLESS TYPE HAND CLEANER.

INGESTION - IF MATERIAL IS SWALLOWED, DO NOT INDUCE VOMITTING. TREAT SYMPTOMATICALLY AND GET MEDICAL ATTENTION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: UNKNOWN

SECTION 7 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NORMALLY NOT NEEDED

VENTILATION LOCAL EXHAUST: AS NEEDED TO REMOVE MISTS OR VAPORS

PROTECTIVE GLOVES: IMPERVIOUS COATING

EYE PROTECTION: CHEMICAL GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: APPROPRIATE CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT WITH SKIN.

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID HEATED PRODUCT FUMES

OTHER PRECAUTIONS: OBSERVE GOOD PERSONAL HYGIENE. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE. DO NOT WEAR LEATHER SHOES OR BOOTS THAT HAVE BECOME SATURATED WITH PRODUCT.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CREATE DIKES OR PONDS AS SOON AS POSSIBLE. USE EARTH, SAW DUST, OR SAND TO MAKE DIKES OR TO USE AS ABSORBENT. UPON ABSORPTION, MATERIAL WILL REVERT TO ASPHALT STATE AND CAN BE REMOVED WITH ABSORPTION MATERIAL.

WASTE DISPOSAL METHODS: EMULSION CAN BE MIXED WITH ANY STABILIZING MATERIAL (i.e., ROCK, GRAVEL OR SAND) IN ORDER TO CHANGE ITS STATE FROM A LIQUID INTO A SOLID. THIS MATERIAL CAN THEN BE DISPOSED OF AT AN APPROVED LANDFILL.

EXPLANATION OF ABBEVIATIONS: N/D - NOT DETERMINED
N/A - NOT APPLICABLE
TLV - THRESHOLD LIMIT VALUE
TWA - TIME WIEGHTED AVERAGE

**DISCLAIMER OF LIABILITY
FOR ELF ASPHLT, INC.**

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

Read the first time in full and on motion by Bar Jantz, seconded by Salmon, and duly adopted, read the second time by title and referred to the Committee on Finance (and the City Plan Commission for recommendation) and Public Hearing to be held after due legal notice, at the Council Conference Room 128, City-County Building, Fort Wayne, Indiana, on _____, 19____, the _____ day of _____, 19____, at _____ o'clock _____ M., E.S.T.

DATED: 12-12-89.

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Read the third time in full and on motion by Henry, seconded by Salmon, and duly adopted, placed on its passage. PASSED ~~LOST~~ by the following vote:

	AYES	NAYS	ABSTAINED	ABSENT
TOTAL VOTES	<u>7</u>			<u>2</u>
BRADBURY				<u>✓</u>
BURNS	<u>✓</u>			
EDMONDS	<u>✓</u>			
GiaQUINTA				<u>✓</u>
HENRY	<u>✓</u>			
LONG	<u>✓</u>			
REDD	<u>✓</u>			
SCHMIDT	<u>✓</u>			
TALARICO	<u>✓</u>			

DATED: 12-26-89

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Passed and adopted by the Common Council of the City of Fort Wayne, Indiana, as (ANNEXATION) _____ (APPROPRIATION) _____ (GENERAL) _____

(SPECIAL) (ZONING MAP) _____ ORDINANCE RESOLUTION NO. S-218-89
on the 26th day of December, 1989.

Sandra E. Kennedy ATTEST
SANDRA E. KENNEDY, CITY CLERK

SEAL
Charles S. Reed
PRESIDING OFFICER

Presented by me to the Mayor of the City of Fort Wayne, Indiana, on the 27th day of December, 1989, at the hour of 1:30 o'clock PM, E.S.T.

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Approved and signed by me this 4th day of January, 1990, at the hour of 9:45 o'clock AM, E.S.T.

PAUL HELMKE
PAUL HELMKE, MAYOR

DIGEST SHEET

TITLE OF ORDINANCE: Special

S-89-12-09

DEPARTMENT REQUESTING ORDINANCE: Purchasing

SYNOPSIS OF ORDINANCE: An ordinance approving the award of Reference No. 1395 for asphalt/bituminous materials for the Street Department for 1990. The cost reflects the most responsive vendor.

EFFECT OF PASSAGE: These materials are needed by the department to make the necessary products for the resurfacing projects throughout the City of Fort Wayne for 1990.

EFFECT OF NON-PASSAGE: Without these materials the department would not be able to continue with its annual resurfacing projects.

MONIES INVOLVED: Elf Asphalt \$200,000.00 +/-

PRICE AGREEMENT: Yes

PURCHASE ORDER:

SOURCE OF FUNDING: Street Dept 128-128-1201-4272

PRIOR APPROVAL:
(IF APPLICABLE)

DATE:

BILL NO. S-89-12-09

REPORT OF THE COMMITTEE ON FINANCE

MARK E. GIAQUINTA, CHAIRMAN
THOMAS C. HENRY, VICE CHAIRMAN
BRADBURY, SCHMIDT, BURNS

WE, YOUR COMMITTEE ON FINANCE TO WHOM WAS

REFERRED AN (ORDINANCE) ~~(RESOLUTION)~~ approving the awarding
of Reference #1395 by the City of Fort Wayne, Indiana, by and
through its Department of Purchasing and ELF ASPHALT, INC. for
the Street Department

HAVE HAD SAID (ORDINANCE) ~~(RESOLUTION)~~ UNDER CONSIDERATION
AND BEG LEAVE TO REPORT BACK TO THE COMMON COUNCIL THAT SAID
(ORDINANCE) ~~(RESOLUTION)~~

DO PASS

DO NOT PASS

ABSTAIN

NO REC

<i>Mark E. Giaquinta</i>			
<i>Janet L. Bradbury</i>			
<i>D. Schmidt</i>			

DATED: 12-26-89.

Sandra E. Kennedy
City Clerk